EDWARD R. SQUIBB, M. D.,

MANUFACTURER OF STANDARD PHARMACEUTICAL PREPARATIONS. No. 36 DOUGHTY STREET,

BROOKLYN, N. Y.
THE STANDARD OF STRENGTH ADOPTED FOR THESE MEDICINES IS THE UNITED STATES PHARMACOPGEIA.

Tights of Sale.—Statements of current accounts are rendered on the 1st of each month, and the amounts are to be paid BY REMITTANCE IN NEW YORK FUNDS, as soon as the statements can be conveniently examined.—Purchases of one hundred dollars or more, made within any calendar month, will have A DISCOUNT OF TEN PER CENT, deducted from the monthly statement, rendered on the 1st of the next succeeding month, provided the amounts be remitted within the month.—All purchases amounting to less than one hundred dollars within any calendar month, NET CASH.—In order to try to deserve the confidence of buyers, by treating all alike, these terms of sale are invariable, and they are published here as distinctly as practicable, that they may be fairly understood before purchases are made.—Prices subject to market fluctuations.

Action services for DA Names Act 10 p. s. feb 17-10, 19-35 22 and 19-35 22 and 19-35 23 and 19-35 24 and 19-35 25	Corrected lists sent on application.		
According to expending Promise 10	Acid, Acetic, pure, for Liq. Ammon. Acet	1 lb. g.s. bot. 17c1b \$0.35	FLUID EXTRACT of
Carpolic for cyrestiffical Placed 3	" Arsenious, selected and powdered for medical use."	oz. g.s. bot. 7c oz10	
2			
Scientification Scientific			
Claricitys, Hales			
Crimetic		quart bot Oc.doz. 2.00	18. Cardamom Compound
11 15 15 15 15 15 15 15	" packed in cases of	1 doz	Cimicifuga, Black Cohosh
Properties Millarde, officials.			Cinchona, Yellow, Simple 1 lb, bot 10c. 10. 2.00
Salgy Concentrated	The state of the s		14. "Compound
Selection unbisqueded.	I nosmorie, Dinated, Omethat		Red, Simple
Septement December	Concentration		Compound
Stephane AramAtic	Dairy III, and out out the second of the second of the second of the second out t		Colombo 100 lb 100
Residencies			
Alemonic, Carlosofte 6, 1907, Per 19			Cubeh
Ample Do. Do			Cypringdiam Vellow Ladics' Slipper 1 lb hot 10c. lb. 1.00
abum protesses Alum permissed of pure secretor to Purrui I. b. bott 100-10. 10. 10. 200 200 200 200 200 200 200 200 200 2			
Answentin Cardenate of, pune, for 1, d. holed. 100 hb. 50 Answentin Cardenate of, pune, for 1, d. Answentin Cardenate of, pune, for 1, d. Answentin Cardenate of, pune, for 1, d. holed. 100 hb. 50 Water of			
Ammont Corteneds of pure, for Luq Ammon Asset, 10 to 10, 100, 100, 100, 100, 100, 100, 100,	Exsicated or Burnt	1 lb. bot10clb50	
Marieto Cri. pretided, granulated 10 bots 10c., 10c., 10c.	Ammonia, Carbonate of, pure, for Liq. Ammon. Acet	1 lb. bot10clb75	Gelsemium, Yellow Jasmine Root
## Water of free from empressmant 10 g.s. bot 1.5 g.b. 12 15 Couptound 10 bot 10 b		1 lb. bot15clb30	
A. Arende Dolfe of		1 lb. g.s. bot.17clb.; .12	16. "Compound
Arsenta India of M. S. Sabertina of Poisses, Powlers 1. B. bot., 10c., 1			Ginger
Solution of Arendic of Poissas, Provider's. 1, b. lost., 10c., 10. 10 10 10 10 10 10 10			Hydrastis, Golden Seal Root, 1.00
Martin M			
Hemnth, Cirpte of 3.02. bol 46, 062, 40 Sabatinomate of 1b, bol 15c, bb. 3.00 Sabatinomate of 1b, bol 15c, bb. 3.00 Sabatinomate of 1b, bol 15c, bb. 3.00 Liquelin 1b, bol 1b, bol 1c, bb. 3.00 Liquelin 1c, bb. 3.00			
***Sabeachonate of			The state of the s
" "Statufurate of. 1 10, bot. 56, 15, 150 " Tunnais of. 1 10, 10, 14, 10, 15, 15, 150 " Whe Extract of. 1 10, 11, 15, 15, 15, 150 " Whe Extract of. 1 10, 11, 15, 15, 15, 150 " Chinaile of Culioral 2 10, 15,			williaming out of his work and and the applications of the applica
Thumsis of			
Catalardies, Cente of, 1 b. til, 5c, lb. 150 "Territys Rote, Asserbjas tuberosa 10, bot 10c, lb. 160 Catalardies, Catalardies	ATTEMPTER OF COLUMN ASSESSMENT OF THE PROPERTY		Lupulin 5c. 1b. 2.00
"the Extract of Chinal.	Addition Office and a second s		Nux Vomica
Chlorader 1 15 15 15 15 15 15 15	Cantharides, Cerate of	1 1b. tin 8c1b. 1.50	Pareira Brava,
Chlorine, Materials for generating packages 1, 195 Chlorine, Materials for generating packages 1, 195 Chlorine, Materials for generating packages 1, 195 Partified, internal 1 11, g.s. bot 14e-1b. 1, 195 Partified, internal 1 11, g.s. bot 14e-1b. 1, 195 Cod-lever Oil, Norwegian 3 pt.hot. 6. 6.doz. 6.00 Roduleting Contractible 1 10, bot. 12e-1b. 1, 100 Colloding Contractible 1 10, bot. 12e-1b. 1, 100 Flexible 1 10, bot. 12e-1b. 1, 100 Flexible 1 10, bot. 12e-1b. 1, 100 Flexible 1 10, bot. 12e-1b. 1, 100 Confection of Sema. 1 10, bot. 12e-1b. 1, 100 Confection of Sema. 1 10, bot. 12e-1b. 1, 100 Confection of Sema. 1 10, bot. 12e-1b. 1, 100 Confection of Sema. 1 10, bot. 12e-1b. 1, 100 Confection of Sema. 1 10, bot. 1, 10e-1b. 1, 100 Confection of Sema. 1 10, bot. 1, 10e-1b. 1, 100 Confection of Sema. 1 10, bot. 1, 10e-1b. 1, 100 Confection of Sema. 1 10, bot. 1, 10e-1b. 1, 100 Confection of Sema. 1 10, bot. 1, 10e-1b. 1, 100 Confection of Sema. 1 10, bot. 1, 10e-1b. 1, 100 Confection of Sema. 1 10, bot. 1, 10e-1b. 1, 10e-	"the Extract of	10. tin 7c1b. 2.00	Plenrisy Root, Asclepias tuberosa
Chlorine, Materials for generating. package	Chidral, or raydrate of Chiorat	1 10. g.s. bot. 14010. 5.10	
Calbordorm, Commercial, for external use			
Partied "Internal " 1 15, gas bot 14c, ab. 2.10			
Collection 1 1 1 1 1 1 1 1 1	Donisad "interval "	10. g.s. bot. 14c, 410. 1.20	Quassia
Collection 1 1 1 1 1 1 1 1 1	Col liver Oil Negrecien	nt hat 00 day 6.00	Dhubah
"Flexible			Commission of The 170 and 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
" Flexible			
" with brush			Sarsaparina. Simple, Mo Negro
Cantharidal 1 oz_bot. 46.15, 36 Senega. 1 lb_bot. 10c. lb. 20 Senega. 1 lb_bot. 10c. lb. 135 Senega. 1 lb_bot. 10			
Confection of Senna			
Ether Acetic 1 10 10 10 10 10 10 10			
Ether, Acetle.			
6. Stronger, for Ameshesia			
1 1 1 1 1 1 1 1 1 1			
1 1 1 1 1 1 1 1 1 1		lb. g.s. bot. 18c lb. 1.00	19. " and Senna
1		lb. bot	Squill
1		l lb. tin30clb. 1.00	Stillingis, Queen's Root
*** ***		lb. tin10c. lb. 1.00	
Strong Chloric			
Ethereal Oil, or Heavy Oil of Wine.			Valerian 1 lb, bot, 10cmlb, 1.25
Extract of Belladonna, Alcoholic.			
"Calabar Bean,"			Wild-Cherry Bark, Prunus Virginiana
Calabur Bean, "			
Cannabis Indica, purified. 1 oz. pot. 7c. oz. 50			
7. "Cinehona Compound			per a personal constant of good to our stands
"Colocynth, Simple. 34 lb. bot. 10c. lb. 4.50 "Ferrocynide of, Medicinal Prussian Blue. 1 oz. bot. 4c. oz. 10 "Hydrated Oxide, the materials for preparing the Hyoscyamus, Alcoholic. 1 oz. bot. 4c. oz. 1.60 "Hydrated Oxide, the materials for preparing the Hyoscyamus, Alcoholic. 1 lb. pot. 8c. lb. 3.60 "Iodide of, Syrup. 1 lb. g.s. bot. 1dc. lb. 70 "Iodide of, Syrup. 1 lb. g.s. bot. 1dc. lb. 70 "Iodide of, Syrup. 1 lb. g.s. bot. 1dc. lb. 70 "Iodide of, Syrup. 1 lb. g.s. bot. 1dc. lb. 70 "Iodide of, Syrup. 1 lb. g.s. bot. 1dc. lb. 70 "Iodide of, Syrup. 1 lb. g.s. bot. 1dc. lb. 70 "Iodide of, Syrup. 1 lb. g.s. bot. 1dc. lb. 70 "Iodide of, Syrup. 1 lb. g.s. bot. 1dc. lb. 70 "Iodide of, Syrup. 1 lb. g.s. bot. 1dc. lb. 70 "Nitrate of, Solution. 1 lb. g.s. bot. 1dc. lb. 70 "Yyophosphate of. 1 lb. bot. 1dc. lb. 125 "" "" " 1 oz. bot. 4c. oz. 1d "Yyophosphate of. 1 lb. bot. 1dc. lb. 125 "" "" " " " " " " " " " " " " " " " "			
8. "Ergot	ti		" " "
8. "Errot.	Condition Statement of the Control o		
Hyoscyamus, Alcoholic.	Compound for account in the		
9. "Jalap, Officinal, powdered.			
9. " Jalap, Officinal, powdered.			
10. "Alcoholic, "Alb. bot. 10c. lb. 8.50 " 1 oz. bot. 4c. oz. 10 9. "Nux Vomica, Alcoholic, powdered. 10 b. bot. 7c. lb. 6.20 "Subcarbonate of. 1 lb. bot. 12c. lb. 40 "Subsulphate of. Monsel's Salt, powdered. 1 lb. bot. 10c. lb. 1.25 " "Subsulphate of. Monsel's Salt, powdered. 1 lb. bot. 10c. lb. 1.25 " " " Solution, Monsel's Solution. 1 lb. bot. 10c. lb. 50 Aromatic Powder, Pulvis Aromaticus, U. S. P. 10 bot. 5c. lb. 1.50 " Subsulphate of. Monsel's Solution. 1 lb. bot. 10c. lb. 50 Asarum, Wild Ginger 1 lb. bot. 10c. lb. 10c lb.	******		Tributo da Committonia de la committa del la committa de la committa del la committa de la committa del la committa de la comm
9. "Nux Vomica, Alcoholic, powdered.			
"Subsulphate of, Monsel's Salt, powdered			
11. FLUID EXTRACT of Acontte Root.			
Acontic Root.	William Control of the Control of th	20.02. 123	bubbulphate of, monsel a batt, powdered 10. 00t 10. 10. 1
Armica Root		With hot 50 th 150	the state of the s
Aromatic Powder, Pulvis Aromaticus, U. S. P. 1/2 lb. bot 5c. 1b. 3.00 "Sulphate of, purified and granulated			44 44 14 14 16 1 1 0Z bof 4c f \(\frac{7}{2} \) 05
Asarum, Wild Ginger 1 lb. bot 10c. lb. 100 " " " " and exsiccated.1 lb. bot 10c. lb 50 Belladonna Leaf	Aromatic Powder Pulvis Aromaticus II S P	4 lb, bot 5c lb 800	" Sulphate of purified and granulated 1 lb hot 10c lb 25
Beliadonna Leaf			is it is and excipated 1 lb hot 10c lb 50
"Root			
- Bittersweet, Solanum Dulcamara	" Root.	4 lb. hot 5c lb 1.50	To surplicate the manufacture and the second
ALBERT - TO THE PARTY OF THE PA			
			and the River to the total the roll of a morning when the experient

List Continued.

	List Co	ntinued.	
	Iron and Ammonia, Sulphate of, Iron Alum	27. Powdered Cinchona, Red, assayed	4 AP
	" Potassa, Tartrate of	Columbo	.40
	" " 1 oz bot 4c oz 10	" Cream of Tartar, Bitartrate of Potassa 1 lb. tin 10clb.	.55
	" Quinia, Citrate of, officinal double salt 1 oz. bot 4c .oz75	"Cubeb, coarse	
	Lead, Acetate of, purified and granulated	Dandelion Root, Taraxacum, medicinal root. 1 lb. tin fcc lb.	
	" IoJide of	" Digitalis	
	" Solution of Subacetate of, Goulard's Extract1 lb. bot10c. lb. 20	Gelsemium, Yellow Jasmine 1 lb. tiu10clb.	
	Lithia, Benzoate of	"Ginger, East India select	
	Mercury, Iodides of, Red or Yellow	" Ipecacuanha, kio Janeiro	
	Nitrate of, Solution		
	" "Ointment, Citrine Ointment & 16. pot 10c. 15. 60	Jalap, Vera Cruz	
	Ontiment of other ontiment	Lagranton Extraob	
	" with Chalk, Gray Powder 1 lb. pot	reorg reone reasonal pecied root. at 10, 111, 10010,	
	Yellow Oxide of	Muriate of Ammonia, from purified muriate. 1 lb. tin10clb. Nitrate of Potassa, Du Pont's best 1 lb. tin	
	Oleate of Aconitia	" Nux Vomica, coarse	
	, 4 Atropia	28. "Opium, this powder is assayed, and the per-	
	" " Mercury 1 oz. bot 4c. f 3 40	centage of Morphia given on the label 1 lb. tin10clb. 1	
	" and Morphia	" Pepper, Black	
	" Morphia	Podophyllam, May-Apple or Mandrake Root. 1 lb. tin10clb.	
	" Quinia 1 oz. bot 4c. f 3 . 1.65	29. "Rhubarb, Chinese select	
	Oleic Acid 1.00 kg lb. bot 5clb. 1.00	" Sarsapariila, Rio Negro 1 lb. tin 10clb.	
	Oleoresin of Cubeb	" Scammony, true Scammony; this powder is	
	The state of the s	assayed, and the percentage of Resin of	
200	Opiam, Compound Solution of, Liquor Opii Composi-	Scammony given on the label	
	tus, made by assay, and adjusted to the strength	Senega, Seneka Snakeroot	1.25
	of four grains of Morphia in each fluid onnce1 lb. bot10clb. 3.00 "Vinegar of, Acetum Opii, Black Drop1 lb. gss. bot.17clb. 5.00	Schua, Alexandra Schua, Wen garbied I in him 70c lb	
		"Serpentaria, Virginia Snakeroot	
	Bot. of 100	Soap, Contr's Worte Castile Soap, scraped .1 lb. tin10clb. Spigelia, Pinkroot	
	" of Arsenious Acid, one-twentieth of a grain each, Bot, of 500	" Squill, White Squill	
	14 16 18 16 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	" Sugar of Milk, selected crystals 1 lb, tip ' 10c lb	
	" Compound Cathartic Bot. of 500 3.25	Tragacanth, white flake	
	Bot of 100	Valerian	
	" of Mercary, Blac Pills, three grains each Bot. of 500 1.70	Resin of Jajap 1 oz hot 4c oz	
	"Bot. of 100	Podophyllum	
	" Opium, one grain each Bot. of 500 2.00	Scammony 1 oz bot 4c oz	1.20
	" 4 " Bot. of 100	29. Khubarb, selected Chinese, each piece bored to centre, per lb	
	Podophyllum, May-Apple Pills	Silver, Nitrate of, granulated, pure and dry oz. g.s. bot. 7coz.	
	" Bot. of 100 .70 " Sulphate of Quinia, three grains each Bot. of 500 11.50	" Fused, in Cones	1.25
		WILL CHIOFIGE 1 OZ. DOE 4C. OZ	1.25
		Soda, Carbonate of, dried or exsiccated.	.40
	" " " " " Bot. of 100 1.75	1 10, 00t 10c	1.75
	one " Rot of 500 4 00	80. " Pyrophosphate, crystals	.12
	Bot of 100 1 00	" Solution of	1.10
	Scammony Compound, or "Triplex Pill." Rot, of 500 295	" Chlorinated, Labarague's Solution, 1 lb g.s. bot 17c lb	.10
	Bot. of 100	" Sulphite of, dried or exsiccated 1 lb bot 10c lb	,50
	Potassa, Acetate of, well dried	SPIRITS, Ammonia, Aromatic	
	Carbonate of, purified and well dried 1 lb. bot 10c. lb	Ether Compound true Hoffmann's Anodyne 1 lb. g.s. bot 17c. lb.	1.85
	"Chlorate of, purified and granulated	Lavender Compound	
	Chiano 40.10. 1.25	Nilrous Ether, Sweet Spirit of Nitre 21/ 16 gg hot 20c 16	
	Crimangamate 01 4C. OZ. 15	" 1 lb, g,s, bot 17c, lb.	
	" Solution of	TINCTURES, Aconice Root, strictly officinal strength1 lb. hot10c. lb.	
	Therefored years are discussed by	Cardanom Compound	
	" granulated for solutions 1 lb. tin10c.lb80		.40
	" Acid Tarfaric:	Chloride of Iron	
	" Aconite Root 1 lb. tin10clb60	32. " Ipecacuanha Compound, or a fluid form of	
	" Aloes, Red Socotrine, purified 1 lb, tin10clb, 1.25	Dover's Powder	
	" Alum, Potassa Alum, purified	" Opium, Laudanum, made by assay, and	
	" Aromatic Powder	adjusted to the strength of four grains of	
	" Belladonna Leaf 1 lb. tin 10c. lb50	Morphia in each fluid ounce	
	1000	"Compound, Diarrhea Mixture1 lb. bot10c1b.	.70
	Dorax, Disorate of Soua, 10. III 100. ID 30	" " "4 oz. bot 0c.doz.	
	Date and Short Burnet	38. " Deodorized, made by assay, and ad-	
		justed to the strength of 4 grains	
	" Cantharides	of Morphia in each fluid onnce. 1 lb. bot10clb.	
	Cansieum African Bird Pennar 1 lb tin 100 lb we		1.30
	Cardamom, causales included coarse 1 lb tip 100 16 a 25	Zinc, Acetate of	
	Chiorate of Patassa, from purmed chiorate, 1 10, fin1cc. 1b70	"Chloride of	
	Cinnamon, true Ceylon	" solution, 50 per cent	
27.	"Cinchona, Yellow, Calisaya, assayed1 lb. tin10clb. 1.75	"Sulphate of, purified for medical use	
34	General Apparatus Stand of iron, with two adjustable rings, two sand baths, and two		
	Eureire and Pipetre Stand of from. Upright Condenser, n. et al case, packed in a fin box: Glass Percolator, on foot, fitted up ready for use, (also Percolator of larger size, stone Apparatus for administering Ether, nickel plated case. Pinchcock for India rubber tubing.	Author these and mask supports	1.50
	Class Percelator on fact fitted un ready for use also Percelator of large	· ····································	
	Apparatus for administering Ether, nickel plated case.	ware, s gams. capacity, \$5.00)	
	Pinchcock for india rubber tubing. Litmus Paper, 100 strips of blue and 100 strips of red, each in a corked vial. ready for Litmus Paper, 2 sheets of either color in a corked test tube, each.	.,,	
	Litmus Paper, 2 sheets of either color in a corked test tube each	physician's use, per pair	
40,	Litmus Paper, 2 sheets of either color in a corked test tube, each. Physician's Pocket Medicine Cases, with minim pipette and sheet of labels, No. 1, co	ntaining 4 short vials, holding about 120 minims each, sliding cover	1.50
			2.75
	- " " " " " " " " " " " " " " " " " " "	" 14 " " 180 & 90 " "	
	11 11 11 11 11 11 11 11 11 11	" 16 " " " " " " " " " " " " " " " " " "	
	11	S Short viais, holding about 240 minims each, flap and lock	
	11 11 11 11 11 11 11 11 11	10 240 tt 11 11 110 tt	
		the firmalism the transfer to	
40		and 5 are also offered with flap and lock instead of sliding cover, at 50 cts. additional and	rice.
41.	Roller Bandages, assorted, BOX No. 1, (31 Bandages,) \$3.00. No. 2, (60 Bandages,) \$6.	00. No. 3, (120 Bandages,) \$11.00.	LM)
34	1 in.by1yth 1½in.by3yds. 2in.by3yds. 2in.by8yds. 2½in.by3yds. 2½	n.by8yds. 3in.by4yds. 3in.by8yds. 3%in.by5yds. 3%in.by8yds. 4in.by6yds. 4in.by	Same of the same o
41.) per doz. \$1.40perdoz \$2.75perdoz \$2.00 per doz \$2.75perdoz \$2.75perdoz	3
	to the day for day price perdes coc. per dox, \$3.8	Per doz. \$1.40perdoz \$3.75 per doz \$2.75perdoz \$3.75 per	rdoz
1			

1. This so called Carbolic Acid No. 1, is really Coal-tar Creasote, or a mixture of the 1. This so called Carbone Acid No. 1, is really Contain Creasore, or a mixture of the three or more homologous pieuols of coal-tar, in varying proportions. It contains from 93 to 96 per cent. of these phenols, the remainder being the more volatile tar oils which are harmle-s. Cresol, or the so called Cresylic Acid, is generally in largest proportion, and Phenol, or the Crystalized Carbolic Acid, in next largest proportion, This mixture is better than the crystalized carbolic acid for all known uses, whether internal or external, and may therefore take the place of the more costly substance with advantage. It is colorless when recently made, but changes, chiefly by the effect. of light, through various tints of brownish red to nearly black, without becoming thick or tarry, and without material change in value or effect. All the useful portious of it

2. This impure Carbolic Acid No. 3, or Coal-tar Creasote with a larger proportion of tar oils, and less carefully distilled, is not proper for medicinal uses, but is quite good enough for profuse use as a disinfectant,—to make the disinfectant solutions,—and the solutions for removing the green mould which grows upon stone and brick work in damp and shaded places. It is also quite good enough for moistening the sand or sawdust used in the spittoons and chamber vessels, or which is daily swept over the floors of Hospitals, Almshouses, Jails, etc. This variety is always of a dark color, and more tarry in consistence and odor, and contains 20 to 30 per cent of oils insoluble in water.

It is put up to order in larger bottles, in carboys, or in barrels.

3. This solution of Creasote or of Impure Carbolic Acid, contains from 1 to 2 per cent of the mixed phenols and is put up in quart packing bottles for profuse popular use. Each bottle bears a label with directions for some of its common uses as a disinfectant, and for its use in burns and scalds. It has been largely used by Boards of when put up it soon becomes of a reddish tinge, and losing its transparency, deposits a scanty reddish sediment. Its value is however not impaired by these changes, and when filtered it is much nicer than before the deposit occurred. It may be easily made from the Carbolic Acid No. 1, or Coal-jar Creasote by shaking this well with water in the proportion of 2¼ parts to the 100 of water, and filtering the solution through a

many purposes than the officinal diluted acid. It is just five times the strength of the officinal acid, and is therefore to be given in one fifth the quantity. To make the offi-

angina pectoris, syncope, etc. It is best administered by inhalation simply from a bottle, or from five to ten drops from a piece of lint or handkerchief. It almost instantly increases the action of the heart, and flushes the face by relaxing the coats of the arterioles, and in this way almost instantly relieves such attacks as spasmodic asthma etc. For transportation it is secured with corks. When received, the cork should be at

once taken out, and the glass stopper be put in its place.

6. This Stronger Ether is especially prepared for use as an anæsthetic, with much Glass stoppers cannot be ground in quantity at any reasonable cost, which will secure it against loss by evaporation. Corks secure it best while standing at rest or during its application, but by the agitation of transportation, or by long standing at rest of during its application, but by the agitation of transportation, or by long standing, they become so shrunken and condensed as to admit a considerable loss at best, while the bottle sometimes reaches its destination apparently well secured, but entirely empty. Hence when ordered in bottles, either glass stoppered or corked, it must be entirely at the risk of the buyer, both for leakage and breakage. A much better way of putting up—and by far the best that has yet been devised—is in tin caus with a stud or cap of thick tin calls called a care they worth. The small disk of the fail is easily as consideration with a small called the care of the called the quarter and half-pound cans are intended specially for physicians' use, and to save the loss and risk in dispensing. Each can contains enough for one or more administra-tions according to the skill with which it is used, and they will be found light, con-venient and as safe as such inflammable liquids can be. All the express companies, and many transportation lines refuse to carry parcels marked as containing ether, and this soldering up in tin is the only way in which it should ever be transported without being marked. It will never be sent in bottles except by special order, and when specially ordered in bottles, and the line by which it is ordered to be sent will not re

This Compound Extract of Cinchona is an efficient and valuable tonic, useful in

7. This Compound Extract of Cinchona is an efficient and valuable tonic, useful in those cases in which the fluid preparations of the Cinchonas are not well borne on account of their bitterness. For detailed formula and therapeutic applications see Amer. Jour. of Pharmacy for Nov. 1867, page 514.

8. This Extract of Ergot is almost entirely soluble in cold water, and it represents good Rye Ergot in the proportion of one grain of extract for five grains of Ergot. Sixty grains of the Extract dissolved in two hundred and fifty minims of water,—the solution filtered, and made up to three hundred minims by passing water through the filter to wash it and the residue upon it,—makes a solution which represents Ergot in the proportion of minim for grain, and is of the same strength as the Fluid Extract of Ergot, but is free from Alcohol or other irritant substance. This solution is as well

Ergot, but is free from Alcohol or other irritant substance. This solution is as well adapted to the bypodermic use of Ergot as any that can be made, and is more trustworthy than the solutions of the so-called "Ergotin."

The medicinal applications of Ergot have been much extended of late years through the researches of Brown-Sequard, Langenbeck, Hildebrandt and others, and it is now administered to a new class of cases in much larger quantities and often for weeks and months together. While no preparation can better represent the drug than a well made fluid extract, yet by prolonged use this becomes very nauseous,—and sometimes so nauseous that it is desirable to have a solid extract which can be given in pill. use the remedy hypodermically -- or topically by a pledget applied to the os uteri in the freatment of fibroid tumors. To accommodate the remedy to these various circumstances, this solid extract, sometimes called the Aqueous Extract of Ergot, is offered. Whether this solid extract will keep well for more than a few months cannot yet be

determined, and it should, therefore, be bought in small quantities. For mode of pre-

paration see Proceedings of Amer. Pharm. Asso. for 1874.

9. Powdered Extracts of Jalap and of Nux Vomica, with all the care that can be taken in their preparation, are liable to run together and become more or less solid in the bottles, and they are sold here subject to this change. It is usually only necessary

10. This Alcoholic Extract of Jalap is a better, more uniform and more economical

accordance with the officinal processes. The object of the processes of the Pharmacopoela is to obtain preparations which represent the drugs from which they are made in the proportion of minim for grain. Recent investigations in pharmacy appear to show that these processes of the Pharmacopoela do not accomplish the object in the best or most economical way, and therefore a departure from them may be justifiable. And it is now believed that the preparations here offered are more in accordance with the object of the Pharmacopæia—that is, better represent the drugs in proportion of minim for grain—than any that can be made by the officinal processes. The method of repercolation by which they are made, is published in the Proceedings of the American

percolation by which they are made, is published in the Proceedings of the American Pharmaceutical Association for several successive years.

By this process, and also perhaps by other processes, it is now no longer difficult to make fluid extracts which fairly represent any drug in the proportion of minim for grain, entirely without the use of heat. But to obtain good drugs even at high prices, from which to prepare the fluid extracts becomes more and more difficult, while the quality of the drug used is always hidden in the extract or fluid extract.

13. The Bark of Rhamnus frangula or Buckthorn has long been used and highly esteemed by many, as a valuable mild cathartic or aperient well adapted to some cases of habitual constipation. It has been generally used in decocion, and those who know it well by experience have hitherto not been satisfied with other most preparation. It may, however, be very conveniently used by chewing small portions of the bark ered, which it is celieved may prove a very useful preparation. The Bark conrsely powdered, is offered in the list of Powders, for making the decoction for those to whom the fluid extract may not be acceptable.

13. The very serviceable Compound Tincture of Cardamon is considered by many to be too dilute and bulky for convenient admixture with fluid extracts, etc., as a corri-

in the proportion of about a minim for each grain, and is about twenty-five times stronger than the officinal Tincture.

14. This Compound Fluid Extract of Yellow Cinchona, or Calisaya Bark, is made from good Calisaya Bark and the officinal Aromatic Powder. Each minim represents about one grain of good Calisaya Bark, and one-fourth of agrain of Aromatic Powder. The dose, as a tonic, is about 10 to 15 minims, and it is best given in a little wine just before meals (see Amer. Journ. of Pharm. for 1867, p. 523 et seq.)

15. This Compound Fluid Extract of Red Cinchona contains the same ingredients

powder of Spigelia and Senna in the proportion of about a minim for each grain, and the aromatics in addition to this strength.

20. Oleates. In the London Lancet for May 25, 1872, p. 709, Mr. John Marshall, F. R. S., Professor of Surgery in University College, London, published a paper on the treatment of persistent inflammations by the local application of solutions of Oxide of Mercury and of Morphia, in Oleic Acid. Good abstracts of this paper may be found in the last edition (the third American) of Ringer's Handbook of Therapeutics, p. 198, and treatment, some surgeons in this country derived benefit in some cases. If the plan be found to be generally applicable and effective, it will be necessary to use it with much care, in order to avoid nurful mercurialization. The facility and rapidity with which these oleates are absorbed from healthy skin is something quite new in therhere effered contains about six per cent of the Yellow Oxide of Mercury, and is probably strong enough for any ordinary use. An Oleate of Mercury containing ten per cent of Oxide is also supplied upon special order. It is of the consistence of a thin jelly, when cold, but quite fluid when warmed. The Oleate of Mercury and Morphia contains about six per cent of the Yellow Oxide of Mercury, and two per cent of Morphia. The Oleate of Morphia contains about five per cent of Morphia. In addition to these preparations proposed by Mr. Marshall, Oleates of Atropia, Aconitia and Quinia are offered, and other Oleates are in course of investigation and preparation. All these Oleates have the strength and composition stated on the label. Oleic Acid and Yellow Oxide of Mercury are also offered for the use of those who prefer to prepare the Oleates for themselves.

21 This Oleoresia of Male Fern is made from carefully selected peeled root, and is periaps as good a preparation of the drag as can be made. Each minim or grain of the Oleoresin represents about eight grains of the peeled root, and it is therefore just eight times stronger than the drag. If one part he made up to eight parts by the addition of stronger alcohol it will represent a well-made fluid extract, but will be found more convenient for general use in the form of Oleoresin. In using it should be well taken up before weighing out.

22. Compound Solution of Opum. For formulas and working processes for this preparation, see "Amer. Journ. Pharm." for March 1860, and January, 1870.

23. This manufacturer neither makes nor deals in sugar-coated pills, nor in pills covered or coated with any other substance, and the pills of this list are introduced to supply the demands of those who desire to have them without covering. The aim of physicians is that the pills they give should dissolve promptly in the upper part of the alimentary canal, and an att capt is made to secure this result in the pills of this list by

proportion of glycerin to keep the pills soft.

24. Podophyllum Pills, or May-apple Pills. This pill appears now to have been 24. Podophyllum 170s, or May-apple Pilis. This pill appears now to have been sufficiently tried to warrant its introduction here. Each pill contains one-fourth of a grain of Resin of Podophyllum, one-eighth of a grain of Alcoholic Extract of Belladonna, balfa grain, of Powdered Capsicum, one grain of Powdered Sugar of Milk a quarter of a grain of Powdered Acacia, with Glycerin and Syrap enough to form a soluble pill which will not become bard. The formula and process for making them is published in detail, and their prominent therapeutic applications, given in the Amer. Journ. of or every alternate night, and then at longer intervals, will often correct a habit of con-

25. This Compound Pill of Scammony is the so-called "Triplex Pill" of the late Dr. John W. Francis of New York. Each pill contains one and a fifth grains each of Scammony, Socotrine Aloes and Mercuria Pill Mass, one-twentieth of a minim of Croton Oil, nearly one-fourth of a minim of Oil of Caraway and a little Tincture of Aloes and Myrrh. For formula and process see Proceedings Amer. Pharm. Asso. for 1872. p. 222.

26. POWDERS. When drugs are powdered or ground, it is always difficult and often impossible to judge of their quality, or to judge of the knowledge and skill given to the important process of powdering. A bad drug by means of a little mixing and manipulation, may be made to yield a very handsome powder, while a good drug, by unskillful heating and powdering, may have its medicinal virtues injured or even drug powdering, and as a general rule none are in less competent bands. Physicians and Pharmacisis are never so safe as when they powder their drugs for themselves, and the labor and difficulty of doing this is very much overrated. To supply those who will

or the most important alkaloid—namely, Quinia. And in the use of these powders it should be borne in mind that 1 part Quinia is equal to 1% parts of Sulphate of Quinia.

The average aimed at is 13.5 per cent and none is offered which contains less than 12.5 per cent of morphia. And by morphia is meant not "Crude Morphia." nor morphia in any combination or admixture, but the true alkaloid only. It should be remembered that the proportion of morphia is the chief indication of value in Opium; and that if a given powdered Opiun costs \$10.00 per pound and contains 10 per cent of morphia that this is equal to about \$1.00 for each per cent of morphia, and that the percentage value increases with the cost. Therefore if powdered Opium containing

29. After the Russian Government abandoned their inspection and control of Rhu-29. After the Russian Government abandoned their inspection and control of Rhubarb and their annual sales of their surplus, the old Russian or Turkey Rhubarb soon disappeared from the markets, and it has not been accessible for some years, although Rhubarb at extravagant prices is still sold under the old name. The Rhubarb here quoted is intended to supply this much-needed grade or quality. This is Chinese or East India Rhubarb, but is selected with care every piece being examined, and the imperfect and bad portions rejected. Thus prepared, it is fully equal to the Russian. The powder and fluid extracts are made from Rhubar of the same quality, though the result of the fluid extracts are made from Rhubar of the same quality, though

times a day it is often effective in the treatment of boils, carbuncles, etc

31. This Compound Tineture of Cinchona, or Huxban's Tineture, differs from the officinal tineture of the U.S. P. of 1870, in containing Saffron in the proportion directions.

proportions would form a good and convenient substitute for the Compound Powder of Ipecacuanha or Dover's Powder. This suggestion has been successfully adopted by some physicians, and now that most physicians carry pocket cases of medicines for immediate use at the bedside, it is believed that such a preparation is needed. It is prepared by concentrating the Deodorized Tincture of Opium on a water bath, replacing the proportion of Alcohol lost, and mixing with this the Fluid Extract of Ipecacuanha in such proportion that each ten \min in sof the mixture represents one grain of Opi-

23. This is the officinal Deodorized Tincture of Opium, but it is now depurated and made of uniform known strength by actual assay. It is prepared by the same process and is of the same opium or morphia strength as the Compound Solution of Opium (see note 22, and may be substituted for that preparation when the Chloro form or Acetic Ether are either or both objectionable; or, by the addition of Compound Spirit of Ether may be made to resemble the old Compound Solution of Opium. It is simply a deodo-ized and depurated solution of opium, containing the officinal proportion of alcohol, and is considered to be a material improvement upon the officinal formula.

34. All the so-called Retort Stands, which are easily accessible are flimsy, unsubstanof the chemist and pharmacist. As the upright supporting rod is near the middle of the stand it can be used for two or more processes at the same time. Each ring may be adjusted to support any vessel of ordinary size.

35. This Burette Stand is convenient for holding a full set of Mohr's Burettes and

36. This Condenser is a modification of that of Liebig, which has now been used for some years. It is held upright in any proper stand, and taker up much less room for a given capacity than Liebig's. It is entirely of rubber, metal and glass, and the parts

37. In the Proceedings of the Amer. Pharm. Asso. for 1872, p. 182, will be found a description of a new form of glass percolator. This percolator has attracted some attention, but has been supplied in a very imperfect condition by the apparatus dealers. It is therefore offered here for any who may choose to try it. When packed, the box

In the transaction of the Med. Soc. of the State of New York, page 211, and in the New York Medical Journal for April, 1871, an apparatus for administering Ether for anæsthetic purposes is described. This apparatus is used to some extent, and is not well made by the apparatus dealers. It is therefore offered here in a nickel plated

tin case, each case containing with the apparatus a quarter pound tin can of other.

39. This is a useful and convenient modification of Bunsen's Pinchco's for control-

Three sizes are offered, the two smaller being most generally useful.

40. In the progress of therapeutic knowledge, physicians generally, even in large cities are beginning to acknowledge the advantages indiaving of time in the treatment of acute conditions or stages of disease, by having the means to carry and dispense a lew of their active medicines, which are acceded at the bedside and in emergencies; and the pocket cases for medicines accessive to them seemed caps le of improvement. Therefore, a case is here offered, containing a minim pipette and a sheet of latels, which, if is hoped, may be an improvement. Minim Pipettes have proved to be very convenient, not only for the pharmarist and physician in dispensing, but also for edside usein dosing medicines unser it the physician's direction. Hence they are sold by pharmacists to families, and are offered here of four different sizes by the dozen or single pipette. The one fluidrachm, or 60 minim pipette will be found convenient for dispensing from ordinary tincture bottles.

41. ROLLER BANDAGES—In the progress of the medical art, it is no longer unimportant as to the material, size and condition of the landages with which wounds, injuries and nicers are treated; and the physician or sur, eon cannot always command the thing best adapted to his purpose without much waste of material and time. The experience of the late was pretty definitely determined the preper material for Roller Bandages, the necessary assortment of sizes for common uses, and the proportion in which the various sizes are required, and the following assortment may perhaps be accepted as the result of this experience:

8 Roller Bandages, 1 inch wide by 1 yard long, 1 for fingers and toes, and hands

8	Roller	Bandages,		ch v	vide by	1 yard	long.	l for	fingers and toes, and hands
5	64			ches	11	3 yard		1	and teet.
3	6.6		2	ee.	16	3 "	44	for	forearms, arms, head and legs
2	- 66			66	16	8	16		of children.
3	6.6			44	46 -			for	forearms, arms and head of
2	66			6.0	46	8 00			adults.
3	6.6		3	4.0		4 16	- 67)	
1	6.6		3		66	8 66	66	- for	lower extremities, clavicle,
1	5.6			66	ee	5 46	66		etc. for adults.
1				tt	- 61	8 10	- 66		
1	66		4	6.0	66	6 66	66 -	- for	the body or trunk.
1	66		4	44	- 46	8 11	56		the second second

31 Bandages in Box No. 1. This assortment of sizes, in very nearly the same proportion, is put up in neat, strong shouldered paster oard loxes, containing respectively 31, 60 and 120 Fandages, and designated by Nos. 1, 2 and 3, the intention leng to adapt the smaller boxes, Nos. 1 and 2, to the use of physicians and general practitioners, and the larger, No. 3, to the use of surgeons, and for hospitals, dispensaries, etc., such lox leding a permanent part of the office appliances and the different sizes teing replaced as they are used out. To facilitate the re-supplying of the loxes, and to accommodate pharmacists, hospitals, etc., each size is also sold separately put up in preper parcels of 1 doz, each tor the first 3 sizes, and ½ doz, each for the remaining sizes. These parcels challe the pharmacists in cities who sell single Fandages on demand, or supply them on physic in spectipations, to keep their stack complete free from the cost of loxes. The supply in lox No. 3 contains over 40 yards of muslin; and the time, later are not always accessible in time of emergency, it is considered worth while to offer such Bandages as one of the regular medical supplies of this list.